

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/627,320	07/25/2003	Martin Theriault	Serie 5352	2281
75	90 03/23/2005		EXAMINER	
Linda K. Russell			RAGONESE, ANDREA M	
Intellectual Property Department Air Liquide			ART UNIT	PAPER NUMBER
2700 Post Oak Boulevard, Suite 1800		3743		
Houston, TX	77056		DATE MAILED: 03/23/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		5	W
	Application No.	Applicant(s)	
	10/627,320	THERIAULT ET AL.	
Office Action Summary	Examiner	Art Unit	
	Andrea M. Ragonese	3743	
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet with	the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REI THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory peri - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b).	N. t 1.136(a). In no event, however, may a repreply within the statutory minimum of thirty ind will apply and will expire SIX (6) MONTI atute, cause the application to become ABA	ly be timely filed 30) days will be considered timely. IS from the mailing date of this communication. IDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 07	7 January 2005.		
	his action is non-final.		
3) Since this application is in condition for allow			
closed in accordance with the practice unde	er <i>Ex parte Quayle</i> , 1935 C.D.	11, 453 O.G. 213.	
Disposition of Claims			
4) Claim(s) 10-16 is/are pending in the applica	ation.		
4a) Of the above claim(s) is/are without	drawn from consideration.		
5) Claim(s) is/are allowed.		•	
6)⊠ Claim(s) <u>10-16</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction an	d/or election requirement.		
Application Papers			
9) The specification is objected to by the Exam			
10)☐ The drawing(s) filed on is/are: a)☐ a		•	
Applicant may not request that any objection to			
Replacement drawing sheet(s) including the cor			
11)☐ The oath or declaration is objected to by the	Examiner. Note the attached	Office Action of form PTO-192.	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International Bur * See the attached detailed Office action for a	ents have been received. ents have been received in Appriority documents have been reau (PCT Rule 17.2(a)).	plication No eceived in this National Stage	
Attachment(s)			
1) Notice of References Cited (PTO-892)	4) Interview Su	mmary (PTO-413) Mail Date	
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB. Paper No(s)/Mail Date 		ormal Patent Application (PTO-152)	

Response to Amendment

1. The amendment filed on January 7, 2005 has been entered. **Claims 10-16** are under consideration.

Response to Arguments

2. Applicant's arguments filed January 7, 2005 have been fully considered but they are not persuasive.

Regarding the argument on page 4, "The storage of electronic components is neither taught nor suggested by Robertson et al. '911," the Examiner strongly disagrees. As reasonably and broadly interpreted, magnetic film videotapes are electronic components since they are media, which can by played by an electronic appliance; therefore, videotapes are electronic components.

Regarding the argument on page 5, "The injection of a warm and *dry* gas into the storage area is neither taught nor suggested by Robertson et al. '911," the Examiner strongly disagrees. As defined by *The American Heritage*® *Dictionary of the English Language, Third Edition copyright* [©] 1992 by Houghton Mifflin Company, the term "inject" means "to force or drive (a fluid) into something." In this case, heat pump **54** in compartment **26** is venting the compartment **26** by "[drawing] in air for circulation", thus "forcing" air into the compartment. Inherently, atmospheric air is *warm and dry* and therefore, the air injected into compartment **26** by heat pump **54** is "warm and dry gas."

Regarding the argument on page 5, "The control of the flow rate of the warm and dry gas into the storage area is neither taught nor suggested by Robertson et al. '911," the Examiner strongly disagrees. The flow rate of the air being injected into the

Application/Control Number: 10/627,320

Art Unit: 3743

compartment 26 by the operation of heat pump 54 is controlled. If power to the heat pump 54 were shut off, then the air being drawn into the compartment 26 would significantly decrease. The opposite would be true if the heat pump 54 was not receiving power and then was receiving power; the air being drawn into the compartment 26 would significantly increase. Therefore, as broadly and reasonably interpreted by the Examiner, the flow rate of the air being injected into the compartment 26 by the operation of heat pump 54 is being controlled.

Regarding the argument on page 5, "'the removal of 0.1% or more of the weight of the components by elimination of moisture while the components are stored' is neither taught nor suggested by Robertson et al. '911," the Examiner strongly disagrees. Storage of electronic components, even when the atmosphere inside a storage area is being maintained and controlled, would inherently have at least a 0.1% loss (or even a potentially higher amount) of moisture, which would account for removing 0.1% or more of the weight of the components. The Examiner would like to reiterate that there is no absolute method for maintaining the atmosphere inside a storage area without experiencing some losses, such as pressure, temperature, etc. Therefore, at some point during the storage of these components, there would be a fluctuation in the amount of moisture, and thus in the weight, of the components. Inherently, the storage cabinet 12 of Robertson et al. would inherently be capable of removing about 0.1% or more of the weight of the components by elimination of moisture while the components are stored in a storage area 10.

Application/Control Number: 10/627,320 Page 4

Art Unit: 3743

Claim Rejections - 35 USC § 102 and 35 USC § 103

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 10 and 13-16 are rejected under 35 U.S.C. 102(b) as being anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Robertson et al. (US 4,838,911).

Regarding **claim 10**, Robertson et al. discloses a method for eliminating moisture from electronic components inherent in the use and operation of a storage cabinet, as shown in Figures 1-3, comprising the steps of:

- storing electronic components in a storage area 10;
- maintaining a warm and dry atmosphere in the storage area 10 by enclosing the storage area 10 and injecting a warm and dry gas into the storage area 10 at a flow rate and temperature which are controlled to eliminate moisture from the components in the storage area 10 (column 3, lines 3-19); and

Art Unit: 3743

removing about 0.1% or more of the weight of the components by elimination of moisture while the components are stored in a storage area 10 (column 1, lines 61-68 and column 2, lines 1-7).

Regarding the step of "removing about 0.1% of more of the weight...", storage of electronic components, even when the atmosphere inside a storage area is being maintained and controlled, would inherently have at least a 0.1% loss (or even a potentially higher amount) of moisture, which would account for removing 0.1% or more of the weight of the components. This is because there is no absolute method for maintaining the atmosphere inside a storage area without experiencing some losses, such as pressure, temperature, etc. Therefore, at some point during the storage of these components, there would be a fluctuation in the amount of moisture, and thus in the weight, of the components. Inherently, the storage cabinet 12 of Robertson et al. would inherently be capable of removing about 0.1% or more of the weight of the components by elimination of moisture while the components are stored in a storage area 10.

Regarding **claim 13**, the component storage area **10** is a storage cabinet **12** having a base portion **14**, a body portion **16** and a top surface **18**, for storing the components, as shown in Figure 1 (column 2, lines 24-33).

Regarding **claim 14**, a temperature control system **68**, **66** is used for controlling a temperature of the dry gas to about 10°C to about 60°C, wherein the ideal component temperature is between about 65°F (18°C) to about 75°F (21°C) in order to prevent permanent damage to the components (column 1, lines 35-38).

Regarding **claim 15**, the temperature control system **68**, **66** controls the temperature of the dry gas to about 20°C to about 50°C, wherein the ideal component temperature of about 65°F (18°C) to about 75°F (21°C) still falls within this range ±2°C.

Regarding **claim 16**, the flow rate of the dry gas delivered to the storage area **10** is controlled by a control system including a humidity sensor within the component storage area **10**, as shown in Figure 2B (column 3, lines 52-57).

Claim Rejections - 35 USC § 103

- 6. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Robertson et al. (US 4,838,911), as applied to claims 10 and 13-16 above, in view of Takano (US 5,749,234). Robertson et al. teaches a method comprising all limitations recited in claim 11, with the exception of a component storage area that is a feeder cart for storing the components. Takano teaches the use of casters on a storage cabinet to make it transportable. It would have been obvious to one having ordinary skill in the art at the time the invention was made to add casters to the component storage apparatus of Robertson et al. to turn the apparatus into a feeder cart because, as taught by Takano, it is well-known in the art to attach casters—small wheels on a swivel—under pieces of furniture, such as storage cabinets, in order to make it easier to move.
- 7. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Robertson et al. (US 4,838,911), as applied to claims 10 and 13-16 above, in view of Rieger (EP 0 959 653 A2). Robertson et al. teaches an apparatus comprising all limitations recited in claim 12, with the exception of a component storage area that is a cabinet receiving at least one feeder cart for storing the components. Rieger teaches

Application/Control Number: 10/627,320

Art Unit: 3743

the use of a storage cabinet with a gas-tight housing for receiving at least one feeder cart for long-term storage of electronic components. It would have been obvious to one having ordinary skill in the art at the time the invention was made to turn the component storage area of Robertson et al. into a cabinet for receiving at least one feeder cart for storing the components because, as taught by Rieger, it is well-known in the art to store electronic components in a gas-tight house with a defined gaseous atmosphere obtained via a dehumidifier in order to prevent damage to stored components resulting from air humidity.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time 8. policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the 9. examiner should be directed to Andrea M. Ragonese whose telephone number is Application/Control Number: 10/627,320 Page 8

Art Unit: 3743

571-272-4804. The examiner can normally be reached on Monday through Friday from

9:00 am until 5:00 pm.

10. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Henry A. Bennett can be reached on 571-272-4791. The fax phone number

for the organization where this application or proceeding is assigned is 703-872-9306.

11. Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

AMR () 2005

Henry Bennett Supervisory/Patent Examiner

2700 2700